

The Impact of Early Detection in Primary Care






Agenda

Time	Topic and Speaker
12:00-12:05 pm	Welcome!Dr. Anna Chodos, Executive Director, Dementia Care Aware
12:05-12:14 pm	 Alzheimer's Disease Prevention in Public Health Mary Rousseve, Alzheimer's Disease Program, CDPH
12:15-12:24 pm	 BOLD Public Health Center of Excellence on Early Detection of Dementia Soo Borson, MD, Co-Director of BOLD Public Health Center of Excellence
12:25-12:34 pm	 Early Detection and the Implications for Primary Care Practice Anna Chodos, MD, Executive Director, Dementia Aware
12:35-12:44 pm	 The Importance of Early Detection for Legal and Advance Care Planning Sarah Hooper, JD
12:45-12:54 pm	The Importance of Outreach and Early Detection for Underserved Populations in CA and for Future Therapies • Serggio Lanata, MD, MS
12:55-1:00pm	Facilitated Q&A





Alzheimer's Disease Prevention in Public Health

Dementia Care Aware Monthly Webinar Series September 27, 2022

MARY ROUSSEVE, COMMUNICATIONS AND MARKETING LEAD ALZHEIMER'S DISEASE PROGRAM

Alzheimer's Disease Program Background

- ➤ 1984 CA Alzheimer's Disease Centers (CA Assembly Bill 2225 (Chapter 1601))
- ➤ 1988 Expanded CA Senate Bill 139 (Chapter 303)
- ≥2018 Alzheimer's Disease and Related Dementias (ADRDs) Research
 - Funded from 2018 Budget Act and <u>CA ADRD Research</u> Voluntary Tax Contribution Fund
- ➤ 2019 CA Healthy Brain Initiative State and Local Public Health Partnerships to Address Dementia Funded from the 2019 Budget Act



Alzheimer's Disease Program Background

- ≥2019 ADRDs Research Awards Funded from 2019 Budget Act
- ➤ 2020 Support for Alzheimer's Disease Awareness, Research, and Training Funded from 2020 Budget Act
- ➤ 2022 Re-funding California Healthy Brain Initiative Funding from 2022 Budget Act



Alzheimer's Disease: A Public Health Issue

The Burden is Large:


Third leading cause of death in CA in 2019

The Impact is Major:


CA is home to the largest number of family caregivers (1.2 million) in the nation.

The total value of unpaid care is estimated to be worth \$18 billion annually in CA.

Alzheimer's Association. (2021). Alzheimer's Disease Facts and Figures. https://www.alz.org/media/Documents/alzheimers-facts-and-figures.pdf



ESTIMATED NUMBER OF CALIFORNIANS 55+ WITH ALZHEIMER'S DISEASE BY RACE/ETHNICITY; 2008, 2015, 2030



California State Plan for Alzheimer's Disease

https://cdn-west-prod-chhs-01.dsh.ca.gov/chhs/uploads/2019/06/California-State-Plan-for-Alzheimers-Disease.pdf

Early life Percentage reduction in dementia prevalence if this risk factor is eliminated Less education Hearing loss Traumatic brain injury Midlife Hypertension >21 units per week Social isolation Later life Physical inactivity modifiable Risk unknown

Lancet Commission. (2020). Dementia prevention, intervention, and care: 2020 report of the Lancet Commission - The Lancet. Retrieved from https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)30367-6/fulltext

Opportunity for Prevention: 40%

Early Life (<45 years)

Less education

Midlife (age 45-65 years)

- Hearing loss
- Traumatic brain injury
- Hypertension
- Alcohol
- Obesity

Later Life (age >65 years)

- Smoking
- Depression
- Social isolation
- Physical inactivity
- Diabetes
- Air Pollution

^{*}Sleep hygiene

California Alzheimer's Disease Centers



Goal:

- -improve dementia health care delivery and provide specialized training and education to health care professionals
- -advance the diagnosis and treatment of ADRDs

https://www.cdph.ca.gov/Programs/CCDPHP/DCDIC/CDCB/Pages/CaliforniaAlzheimersDiseaseCenters.aspx

Alzheimer's Disease Projects

- 1. Healthy Brain Initiative
- 2. Research Projects
- 3. Public Awareness Campaign
- 4. Standards of Dementia Care
- 5. Caregiver Trainings
- 6. Dementia Friendly Communities





Thank you!





BOLD Public Health Center of Excellence on Early Detection of Dementia

Message, Mission, and Method

Soo Borson MD

Co-Lead, BOLD PHCOE-EDD

Professor of Clinical Family Medicine, Keck USC School of Medicine

Professor (Emerita) of Psychiatry and Behavioral Sciences, University of Washington School of Medicine



Disclosure: Presenter Soo Borson, MD is an Advisory Board member for Roche Genentech

OUR MESSAGE

Dementia is a manageable chronic condition

- Detect early before a crisis
- Manage proactively
- Follow simple, proven principles
- Center on relationship
- Work as a team





OUR MISSION

- To make early detection of dementia a routine practice across the United States.
- To make evidence about early detection tools and strategies available to everyone.
- To discover and co-create solutions with stakeholder organizations and communities nationwide.
- To promote implementation of effective, sustainable public health, clinical, and community initiatives focused on improving early detection, reducing stigma, and advancing health equity.
- To empower individuals and stakeholder groups to create pathways from detection to evidence-based care.



OUR METHODS

SIMPLIFY:

- Four simple steps to detecting cognitive impairment and developing a clinical pathway.
- Real-world examples of successful strategies.

AMPLIFY:

- Highlight innovative early detection work.
- Showcase actionable efforts adaptable to diverse settings.

DISSEMINATE:

- Spread information about evidence-based practices and strategies to increase early detection.
- Provide technical assistance to support capacity building, decision-making, and strategic planning.
- Facilitate insight exchange across states and between engaged organizations.





FIND US AT:

https://bolddementiadetection.org

REGISTER FOR OUR SYMPOSIUM ON OCTOBER 25-27, 2022

https://bolddementiadetection.org/event/public-health-action-to-advance-early-detection-of-dementia-national-virtual-symposium/




Early detection and the implications for primary care

Anna Chodos, MD, MPH



Disclosure: Presenter Anna Chodos, MD has stated she has no financial relationships to disclose


Natural history of neurodegenerative disease





Who are the stakeholders in early diagnosis?

Only 20-50% of dementia is diagnosed and documented.



Ideal scenario

Mild Symptoms

"Timely" Diagnosis

Proactive Care, Treatment, and Support Proactive planning for legal and social needs, prevention of social and medical complications.

Actual scenario

Significant/

Advanced Symptoms

Delayed

Diagnosis

Missed
Opportunities for
Care, Treatment,
and Support

Unnecessary stress, hospitalizations, earlier institutionalization, loss of assets

Benefits for patients and care partners

- Most people with dementia wish to be told if they have it. "The right to a diagnosis."
- Can relieve uncertainty about what is going on.
- People feel empowered with information about the diagnosis. *Important to focus on disclosure*.
- Can lead to earlier access to information, education and training, care, and planning.
- Delay in institutionalization.






Benefits for primary health care teams

Dementia is a pervasive disease that affects all aspects of a patient's care.

- 1. You can start a brain health plan earlier and prevent downstream complications.
- 2. Improving overall goals and targets for a patient's other co-morbidities.







Starting a brain health plan

A brain health plan is always important but takes on added urgency when someone has cognitive symptoms or dementia. It includes:


- Reducing medication burden, especially those that affect cognition: sedative/hypnotics and those with anticholinergic properties
- 2. Regular physical and social activity
- 3. Correcting hearing and vision
- 4. Controlling vascular risk factors (depends on the patient)





Managing other comorbidities in the context of dementia

- Guidelines suggest a different level of control for people with dementia
 - Managing diabetes to a goal A1c of
 <8.0 if they have cognitive impairment
 - Consider loosening blood pressure control in someone who is 80+ or with more advanced functional impairment



Managing other comorbidities in the context of dementia


- Practical considerations trump all else as self-management for the patient becomes more challenging
 - Harm reduction:
 - Simple regimens: daily dosing intervals, fewer pills overall
 - Remove the medications with the most harmful side effects (e.g., hypoglycemics)
- Involve care partners in a respectful way

Working with care partners/caregivers

- Ask who helps or is available to help support the patient with health or functional needs
- Open-ended approach to understanding their relationship with the patient. How does the patient want them involved? How do they want to be involved?
- Inquire about educational needs and emotional support. Caregiving is a job that many do not have training for
- Involve in a way that:
 - does not assume they have more medical knowledge than the patient
 - puts the patient first, e.g., do not ignore the patient during a visit



Who are the stakeholders in early diagnosis?



Dementia Care Aware:

- Education and training on detection, diagnosis, and care planning
- Practice support

Thank You





The importance of early detection for legal and advance care planning

Sarah Hooper, JD



Disclosure: Presenter Sarah Hooper, JD has stated she has no financial relationships to disclose

Mr. S*



^{*}Not his picture. Name and identifying info changed.

What Was Missing

Early Detection

Incapacity
Planning
(ACP+)

Food Access Long-Term Care Advocacy

The Aging Network ACCESS TO SERVICES · Outreach, Information & Assistance Regarding Services & Benefits Care Management **ADMINISTRATION ON** Transportation AGING (AOA) STATE UNITS ON AGING (SUAS) NUTRITION & TRIBAL ORGANIZATIONS · Congregate & Home-Delivered Meals · Nutrition Counseling & Education AREA AGENCIES ON AGING (AAAS) **HOME & COMMUNITY-BASED SERVICES** LOCAL SERVICE PROVIDERS · Home Care, Chore & Personal Care & DIRECT SERVICES · Adult Day Care Family Caregiver Support Exist in the **DISEASE PREVENTION &** HEALTH PROMOTION Physical Fitness · Chronic Disease Self-Management Immunizations Community LEGAL ASSISTANCE Examples include:

> Access to Public Benefits · Advance Care Planning

· Prevention of Elder Abuse, Neglect,

Housing

& Exploitation

LEGAL SERVICES FOR THE ELDERLY

and contracting with Area Agencies on Aging to support the "economic or social needs" without cost. 19 There are roughly

Source: Adapted from Congressional Research Service. Older Americans Act: Overview and Funding elegal services provided under the OAA are critically important in expanding access to justice to older Americans, November 18, 2018. Available at https://fas.org/sgp/crs/misc/R43414.pdf

Resources

People Like Mr. S Need More Help Accessing Them

56%

of low-income seniors had a

civil legal need in 2017 and

10% of those had 6+ civil legal needs

86%

received

inadequate or no

legal help

Primary Care is a Key Gateway to Social Services and Social Justice

PCP Teams can:

- ✓ Detect
- ✓ Counsel
- ✓ Refer



We Are Here to Help























Thank You

hoopers@uchastings.edu




The importance of outreach and early detection for underserved populations in California and for future therapies

Serggio Lanata, MD, MS




Disclosure: Presenter Serggio Lanata, MD, MS has stated he has no financial relationships to disclose

Natural history of neurodegenerative disease









Social and Enviornmental Factors

Neighborhood

Green areas Transportation Violence Polution

Service

Healthcare Social services Mistreatment Education

Social

Discrimination Isolation Safety

Economic

Employment Income Work safety

Behavioral risk factors:

Physical activity Social isolation Alcoholism Smoking Air pollution Education

Medical risk factors

HTN HLP Diabetes Depression Hearing loss Obesity TBI

Amyloid protein "Amyloid plaques"

tau protein


"Tau tangles"


Neurodegenerative and cerebrovascular disease



Association of Neighborhood-Level Disadvantage With Cerebral and Hippocampal Volume


Jack F. V. Hunt, BA; William Buckingham, PhD; Alice J. Kim, BA; Jennifer Oh, BS; Nicholas M. Vogt, BA; Erin M. Jonaitis, MS, PhD; Tenah K. Hunt, MPH, PhD; Megan Zuelsdorff, PhD; Ryan Powell, PhD; Derek Norton, MS; Robert A. Rissman, PhD; Sanjay Asthana, MD; Ozioma C. Okonkwo, PhD; Sterling C. Johnson, PhD; Amy J. H. Kind, MD, PhD; Barbara B. Bendlin, PhD













ADRC Cumulative Enrollment Cumulative 3583 4000 **Enrollment** 3500 3048 3000 Non-ORE Cohort 2500 2000 365 ---Chinese Cohort 1500 1000 170 500 --Latino Cohort 2004200520062007200820092010201120122013201420152016201720182019202020212022 Today YR4 2004 2014 2019

P50 Cycle 3


2009

P50 Cycle 2



P50 Cycle 1

P30 Cycle 1





TYPE Original Research
PUBLISHED 22 July 2022
DOI 10.3389/fneur.2022.905779



OPEN ACCESS

EDITED BY

Sokratis G. Papageorgiou, National and Kapodistrian University of Athens. Greece

REVIEWED BY

Junhao Wen,
University of Pennsylvania,
United States
Hitoshi Shimada,
Brain Research Institute, Niigata
University, Japan
Athanassios Douzenis,
National and Kapodistrian University
of Athens, Greece

*CORRESPONDENCE

Sandeepa Satya-Sriram Mullady sandeepa.mullady@ucsf.edu Serggio Lanata

Neurocognitive health of older adults experiencing homelessness in Oakland, California

Sandeepa Satya-Sriram Mullady^{1*}, Stacy Castellanos^{2†}, Lucia Lopez^{1†}, Gloria Aguirre^{1†}, John Weeks^{2†}, Stephen King^{2†}, Karen Valle^{2†}, Collette Goode^{1†}, Elena Tsoy^{1†}, Katherine Possin^{1†}, Bruce Miller^{1†}, Margot Kushel^{2‡} and Serggio Lanata^{1*‡}

¹Department of Neurology, Memory and Aging Center, UCSF Weill Institute for Neurosciences, University of California, San Francisco, San Francisco, CA, United States, ²Department of Internal Medicine, UCSF Center for Vulnerable Populations, University of California, San Francisco, San




Table 1
Add-On Clinical Trials of Combination Treatments for AD

Agent	Dose	Туре	AD Stage	Phase
Disease modifying				
Aducanumab	NR	Amyloid passive immunization	Early	III
Gantenerumab	NR		Early	II/III III
Crenezumab	NR	Amyloid passive immunization	Early	III
Solanezumab	NR	Amyloid passive immunization	Early	II/III
JNJ-54861911	NR	BACE inhibitor	Early	II/III
Masitinib	3.0 or 4.5 mg/kg/d	Selective tyrosine kinase inhibitor	Mild to moderate	III
ALZT-OP1 (cromolyn and ibuprofen)	NR	Anti-amyloid/anti-inflammatory	Early	III
Flebogama DIF 5% and Albutein 20%	NR	Intravenous human immunoglobulin, human albumin	Mild, moderate	II/III
BAN2401	2.5, 5.0, or 10.0 mg/kg once biweekly; or 5.0 or 10 mg/kg once a month	Amyloid passive immunization	Early	П
AADvac-1	Axon peptide 108 40 µg; 6 doses in 4-week intervals, then 5 doses in 3-month intervals	Tau active immunization	Mild	II
ABBV-8E12	NR	Tau passive immunization	Early	II
Nasal insulin	Insulin 20 IU BID Glulisine 20 IU BID	Peptide hormone	Early	II/III II
Liraglutide	1.8 mg/d	GLP-1 receptor agonist	Mild	II
Sargramostim	250 μg/m ² /d for 5 days/week for 3 weeks	GM-CSF	Mild, moderate	II
Telmisartan	40 or 80 mg/d	Angiotensin II receptor antagonist	Mild, moderate	II
Nicotinamide	1500 mg BID	Vitamin B3	Early	II
Saracatinib	100 to 125 mg/d	Src/abl kinase family inhibitor	Mild	II
UE2343	10 mg/d	β -hydroxysteroid dehydrogenase inhibitor	Mild	II

Cummings JL, Tong G, Ballard C. Treatment Combinations for Alzheimer's Disease: Current and Future Pharmacotherapy Options. J Alzheimers Dis. 2019;67(3):779-794.

- For decades, only symptomatic therapies for Alzheimer disease have been available.
- In recent years, more than 18 disease modifying agents have been studied in clinical trials.

Natural history of neurodegenerative disease





or call 1-800-AHEAD-70

Help us get AHEAD of Alzheimer's disease

Join a trial that aims to help prevent Alzheimer's disease, funded by the National Institutes of Health (NIH) and Eisai Inc., by testing an investigational treatment aimed at delaying memory loss before noticeable signs of Alzheimer's disease begin.

Join the Study

or call 1-800-AHEAD-70









Thank You



Question and Answer



DCA@ucsf.edu

How to Claim Continuing Medical Education (CME) Credit?

Step1. Please complete our evaluation survey using the link that we provide in the chat and a follow-up email after the webinar.

 For this activity, we provide CME and California Association of Marriage and Family Therapists (CAMFT) credits. Please select the correct link based on the credit type you are claiming.

<u>Link to CME evaluation survey:</u>

https://ucsf.co1.qualtrics.com/jfe/form/SV_5sX5H9AcY3N9v5s

<u>Link to CAMFT evaluation survey:</u>

https://ucsf.co1.qualtrics.com/jfe/form/SV b9gxWkJMigjMm6W

Step 2. Upon the completion of the evaluation survey, please scan a QR code to claim credit:

- Use your phone camera to scan a QR code and tap the notification to open the link associated with CME portal.
- o Enter you first name, last name, profession, and claim 1 CE credit for the webinar.

OR you can use a QR code NOW to claim credit in real time.



